

**Sample Question Paper**  
**CLASS: XII**  
**Session: 2022-23**  
**Applied Mathematics (Code-241)**  
**Marking Scheme**

**Section – A**

Each question carries 1-mark weightage

|     |  |
|-----|--|
| 1.  | $x \equiv 27 \pmod{4}$<br>$\Rightarrow x - 27 = 4k$ , for some integer $k$<br>$\Rightarrow x = 31$ as $27 < x \leq 36$<br><b>(C) option</b>  |
| 2.  | <b>(D) option</b>  |
| 3.  | $n = 26 \Rightarrow  t  = 3.07 > t_{25}(0.05) = 2.06$<br><b>(B) option</b>   |
| 4.  | $n = 34 \Rightarrow v = 34 - 1 = 33$<br><b>(B) option</b>  |
| 5.  | Speed of boat downstream = $u = 10$ km/h<br>And, speed of boat upstream = $v = 6$ km/h<br>$\Rightarrow$ Speed of stream = $\frac{1}{2}(u - v) = 2$ km/h<br><b>(B) option</b>           |
| 6.  | <b>(C) option</b>  |
| 7.  | Truck A carries water = $100 - \left(\frac{20 \times 1500}{1000}\right) = 70$ l<br>Truck B carries water = $80 - \left(\frac{20 \times 1000}{1000}\right) = 60$ l<br><b>(C) option</b> |
| 8.  | Let the face value of the bond = $x$<br>Then, $\frac{10}{200}x = 1800 \Rightarrow x = 36000$<br><b>(D) option</b>  |
| 9.  | <b>(C) option</b>  |
| 10. | <b>(D) option</b>  |
| 11. | $D = \frac{C - S}{n} = \frac{480000 - 25000}{10} = 45500$<br><b>(B) option</b>   |
| 12. | <b>(A) option</b>  |
| 13. | $\int \frac{dy}{y \log y} = \int \frac{dx}{x}$<br>$\Rightarrow \log(\log y) = \log x  + \log C $<br>$\Rightarrow \log(\log y) = \log Cx $<br>$\Rightarrow y = e^{ Cx }$                |


|  |  |   |
|--|--|---|
|  | <b>(B) option</b>  |   |
| 14.                                    | $\left[ \left( \frac{60000}{10000} \right)^{\frac{1}{4}} - 1 \right] \times 100 = [\sqrt[4]{6} - 1] \times 100$  |   |
| 15.                                    | <p style="text-align: center;"> Cheaper<br/>0                      Dearer<br/>480<br/> ↙                      ↘<br/>                             Mean<br/>                             300<br/> ↘                      ↙<br/> 180                      300 </p> <p>⇒ 180 : 300 = 3 : 5</p> |   |
| 16.                                    | <b>(D) option</b>  |   |
| 17.                                    | <b>(C) option</b>  |   |
| 18.                                    | <b>(B) option</b>  |   |
| 19.                                    | <p>P(Win in one game) = P(Lose in one game) = <math>\frac{1}{2}</math></p> <p>⇒ P (Beena to win in 3 out of 4 games) = <math>{}^4C_3 \cdot \left(\frac{1}{2}\right)^4 = \frac{1}{4} = 25\%</math></p> <p>Assertion is correct and Reason is the correct explanation for it</p>             |   |
| 20.                                    | <p>Effective rate of interest = Nominal rate – inflation rate = 12.5 – 2 = 10.5%</p> <p>Assertion is correct</p> <p>Reason is true but not supportive of assertion</p>   |   |
| <b>Section – B</b>                     |  |   |
| Each question carries 2-mark weightage |  |   |
| 21.                                    | <p>P = 250000, R = 7500, <math>i = r/400</math></p> <p>⇒ <math>250000 = \frac{7500 \times 400}{r} \Rightarrow r = 12</math></p>  | 1 |
|  | ⇒ $r = 12$   | 1 |
| 22.                                    | <p><math>a - 8 = 1 \Rightarrow a = 9</math></p> <p><math>3b = -2 \Rightarrow b = -\frac{2}{3}</math></p> <p><math>-c + 2 = -28 \Rightarrow c = 30</math></p>   | 1 |
|  | ⇒ $2a + 3b - c = -14$  | 1 |
|  | <b>OR</b>  |   |
|  | Expanding $C_1$ , we get $\Delta = 1(2x^2 + 4) - 2(-4x - 20) = 86$   | 1 |
|  | $\Rightarrow x^2 + 4x - 21 = 0$ $\therefore x = 3, -7$   | 1 |
| 23.                                    | <p>Let the number of hardcopy and paperback copies be x and y respectively</p> <p>⇒ Maximum profit <math>Z = (72x + 40y) - (9600 + 56x + 28y) = 16x + 12y - 9600</math></p>  | 1 |

|  |   |     |
|--|---|-----|
|  | Subject to constraints:<br>$x + y \leq 960$<br>$5x + y \leq 2400$<br>$x, y \geq 0$  | 1   |
| 24.                                    | Speed of boat in still waters = $x$ km/h<br>Speed of stream = $y$ km/h<br>Distance travelled = $d$ km<br>Time taken to travel downstream = $\frac{d}{x+y}$<br>Time taken to travel upstream = $\frac{d}{x-y}$ | 1   |
|  | Then, $\frac{2d}{x+y} = \frac{d}{x-y} \Rightarrow x : y = 3 : 1$  | 1   |
|  | <b>OR</b>   | 1   |
|  | Param runs 5 m in 3 seconds<br>$\Rightarrow$ time taken to run 200 m = $\frac{3}{5} \times 200 = 120$ seconds   |     |
|  | Anuj 's time = $120 - 3 = 117$ seconds  | 1   |
| 25.                                    | $V_f = 437500, V_i = 350000$<br>Nominal rate = $\frac{V_f - V_i}{V_i} \times 100$   | 1   |
|  | $= \frac{437500 - 350000}{350000} \times 100 = 25\%$  | 1   |
| <b>Section – C</b>                     |   |     |
| Each question carries 3-mark weightage |   |     |
| 26.                                    | $f'(x) = x^3 - 6x^2 + 11x - 6 = (x - 1)(x - 2)(x - 3)$<br><br>$\Rightarrow x = 1, 2, 3$   | 1   |
|  | Strictly increasing in $(1, 2) \cup (3, \infty)$  | 1   |
|  | Strictly decreasing in $(-\infty, 1) \cup (2, 3)$   | 1   |
| 27.                                    | Daily diet of team A = $[2 \ 3 \ 1] \begin{bmatrix} 2500 & 65 \\ 1900 & 50 \\ 2000 & 54 \end{bmatrix} = \begin{bmatrix} 12700 \\ 334 \end{bmatrix}$<br><br>Team A consumes 12700 calories and 334 g vitamin   | 1.5 |
|  | Daily diet of team B = $[1 \ 2 \ 2] \begin{bmatrix} 2500 & 65 \\ 1900 & 50 \\ 2000 & 54 \end{bmatrix} = \begin{bmatrix} 10300 \\ 273 \end{bmatrix}$<br><br>Team B consumes 10300 calories and 273 g vitamin   | 1.5 |
| 28.                                    | $\int \frac{dx}{(1 + e^x)(1 + e^{-x})}$<br><br>$= \int \frac{e^x dx}{(1 + e^x)^2}$  | 3   |

|     |   |     |
|-----|---|-----|
|     | $= \int \frac{dt}{t^2}, \text{ where } t = e^x + 1 \text{ and } dt = e^x dx$ $= \frac{-1}{t} + C$ $= \frac{-1}{1+e^x} + C$ <p style="text-align: center;"><b>OR</b></p> $\int_{II} x \log(1+x^2) dx, \text{ Integration by parts}$ $= \log(1+x^2) \cdot \int x dx - \int \left[ \frac{d}{dx} \log(1+x^2) \cdot \int x dx \right] dx$ $= \frac{x^2}{2} \log(1+x^2) - \int \left[ \frac{2x}{1+x^2} \cdot \frac{x^2}{2} \right] dx$ $= \frac{x^2}{2} \log(1+x^2) - \int \frac{x^3}{1+x^2} dx$ $= \frac{x^2}{2} \log(1+x^2) - \int \left[ x - \frac{x}{1+x^2} \right] dx$ $= \frac{x^2}{2} \log(1+x^2) - \frac{x^2}{2} + \frac{1}{2} \log(1+x^2) + C$ $= \frac{1}{2} [(1+x^2) \log(1+x^2) - x^2] + C$ |     |
| 29. | <p>Under pure competition, <math>p_d = p_s</math></p> $\Rightarrow \frac{8}{x+1} - 2 = \frac{x+3}{2}$ $\Rightarrow x^2 + 8x - 9 = 0$ $\Rightarrow x = -9, 1$ $\therefore x = 1$   | 1.5 |
|     | <p>When <math>x_0 = 1 \Rightarrow p_0 = 2</math></p> $\therefore \text{Produce surplus} = 2 - \int_0^1 \frac{x+3}{2} dx = 2 - \left[ \frac{x^2}{4} + \frac{3x}{2} \right]_0^1 = \frac{1}{4}$  | 1.5 |
|     | <p style="text-align: center;"><b>OR</b></p> $p = 274 - x^2$ $\Rightarrow R = px = 274x - x^3$ $\frac{dR}{dx} = 274 - 3x^2$ <p>Given <math>MR = 4 + 3x</math></p> <p>In profit monopolist market,</p> $MR = \frac{dR}{dx} \Rightarrow 4 + 3x = 274 - 3x^2$ $\Rightarrow x^2 + x - 90 = 0$   | 1.5 |

|  |   |     |
|--|---|-----|
|  | $\Rightarrow x = -10, 9$<br>$\therefore x = 9$  |     |
|  | When $x_0 = 9 \Rightarrow p_0 = 193$<br>$\therefore$ Consumer surplus $= \int_0^9 (274 - x^2) dx - 193 \times 9$<br>$= \left[ 274x - \frac{x^3}{3} \right]_0^9$<br>$= 486$  | 1.5 |
| 30.                                    | Purchase = ₹ 40,00,000<br>Down payment = $x$<br>Balance = $40,00,000 - x$<br>$i = \frac{9}{1200} = 0.0075, n = 25 \times 12 = 300$<br><br>E = ₹ 30,000  | 1   |
|  | $\Rightarrow 30000 = \frac{(4000000 - x) \times 0.0075}{1 - (1.0075)^{-300}}$<br>$\Rightarrow 30000 = \frac{(4000000 - x) \times 0.0075}{1 - 0.1062}$<br>$\Rightarrow x = 424800$<br>Down payment = ₹ 4,24,800  | 2   |
| 31.                                    | $n = 10 \times 2 = 20, S = 10,21,760, i = \frac{5}{200} = 0.025, R = ?$<br>$S = R \left[ \frac{(1+i)^n - 1}{i} \right]$   | 1.5 |
|  | $\Rightarrow 1021760 = R \left[ \frac{(1+0.025)^{20} - 1}{0.025} \right]$<br>$\Rightarrow 1021760 = R \left[ \frac{1.6386 - 1}{0.025} \right]$<br>$\Rightarrow R = \left[ \frac{1021760 \times 0.025}{0.6386} \right]$<br>$\Rightarrow R = ₹ 40,000$<br>Mr Mehra set aside an amount of ₹ 40,000 at the end of every six months | 1.5 |
| <b>Section – D</b>                     |   |     |
| Each question carries 5-mark weightage |   |     |
| 32.                                    | Probability of defective bucket = 0.03<br>$n = 100$<br>$m = np = 100 \times 0.03 = 3$<br>Let $X =$ number of defective buckets in a sample of 100<br>$P(X = r) = \frac{m^r e^{-m}}{r!}, r = 0, 1, 2, 3, \dots$  | 1   |
|  | (i) $P(\text{no defective bucket}) = P(r = 0) = \frac{3^0 e^{-3}}{0!} = 0.049$  | 2   |
|  | (ii) $P(\text{at most one defective bucket}) = P(r = 0, 1)$<br>$= \frac{3^0 e^{-3}}{0!} + \frac{3^1 e^{-3}}{1!}$  | 2   |

|     |   |     |
|-----|---|-----|
|     | $= 0.049 + 0.147$ $= 0.196$   |     |
|     | <b>OR</b>   |     |
|     | <p><math>X =</math> scores of students, <math>\mu = 45, \sigma = 5</math></p> $\therefore Z = \frac{X - \mu}{\sigma} = \frac{X - 45}{5}$  | 1   |
|     | <p>(i) When <math>X = 45, Z = 0</math><br/> <math>P(X &gt; 45) = P(Z &gt; 0) = 0.5</math><br/> <math>\Rightarrow</math> 50% students scored more than the mean score</p>  | 2   |
|     | <p>(ii) When <math>X = 30, Z = -3</math> and when <math>X = 50, Z = 1</math><br/> <math>P(30 &lt; X &lt; 50) = P(-3 &lt; Z &lt; 1) = P(-3 &lt; Z \leq 1)</math><br/> <math>= P(-3 &lt; Z \leq 0) + P(0 \leq Z &lt; 1)</math><br/> <math>= P(0 \leq Z &lt; 3) + P(0 \leq Z &lt; 1)</math><br/> <math>= 0.4987 + 0.3413 = 0.84</math><br/> <math>\Rightarrow</math> 84% students scored between 30 and 50 marks</p> | 2   |
| 33. | <p>Let <math>x</math> be the number of guests for the booking<br/> Clearly, <math>x &gt; 100</math> to avail discount<br/> <math>\therefore</math> Profit, <math>P = [4800 - \frac{200}{10}(x - 100)]x = 6800x - 20x^2</math></p>   | 2   |
|     | $\Rightarrow \frac{dP}{dx} = 6800 - 40x \Rightarrow x = 170$  | 1   |
|     | As $\frac{d^2P}{dx^2} = -40 < 0, \forall x$   | 1   |
|     | <p>A booking for 170 guests will maximise the profit of the company<br/> And, Profit = ₹ 5,78,000</p>   | 1   |
|     | <b>OR</b>   |     |
|     | $P(x) = R(x) - C(x)$ $= 5x - (100 + 0.025x^2)$  | 2   |
|     | $\Rightarrow P'(x) = 5 - 0.05x \Rightarrow x = 100$   | 1   |
|     | As $P''(x) = -0.05 < 0, \forall x$  | 1   |
|     | <p><math>\therefore</math> Manufacturing 100 dolls will maximise the profit of the company<br/> And, Profit = ₹ 1,50,000</p>  | 1   |
| 34. | <p>Let the number of tables and chairs be <math>x</math> and <math>y</math> respectively<br/> (Max profit) <math>Z = 22x + 18y</math><br/> Subject to constraints:<br/> <math>x + y \leq 20</math><br/> <math>3x + 2y \leq 48</math><br/> <math>x, y \geq 0</math></p>  | 1.5 |



2

The feasible region OABCA is closed (bounded)

| Corner points | Z = 22x + 18y |
|---------------|---------------|
| O (0,0)       | 0             |
| A (0,20)      | 360           |
| B (8,12)      | 392           |
| C (16,0)      | 352           |

1.5

Buying 8 tables and 12 chairs will maximise the profit

35.

$$A = \begin{bmatrix} 1 & 2 & 3 \\ 3 & 2 & 2 \\ 2 & 3 & 2 \end{bmatrix}$$

$\Rightarrow |A| = 9 \Rightarrow A^{-1}$  exists

$$\text{And } A^{-1} = \frac{1}{9} \begin{bmatrix} -2 & 5 & -2 \\ -2 & -4 & 7 \\ 5 & 1 & -4 \end{bmatrix}$$

2

$$AX = B \Rightarrow X = A^{-1}B$$

$$\Rightarrow X = \frac{1}{9} \begin{bmatrix} -2 & 5 & -2 \\ -2 & -4 & 7 \\ 5 & 1 & -4 \end{bmatrix} \begin{bmatrix} 85 \\ 105 \\ 110 \end{bmatrix} = \begin{bmatrix} 15 \\ 20 \\ 10 \end{bmatrix}$$

$$\Rightarrow p_1 = 15, p_2 = 20, p_3 = 10$$

3

**Section – E**

Each Case study carries 4-mark weightage

|     |   |   |
|-----|---|---|
| 36. | CASE STUDY - I  |   |
| a)  | Pipe C empties 1 tank in 20 h $\Rightarrow \frac{2}{5}$ th tank in $\frac{2}{5} \times 20 = 8$ hours  | 1 |
| b)  | Part of tank filled in 1 hour = $\frac{1}{15} + \frac{1}{12} - \frac{1}{20} = \frac{1}{10}$ th<br>$\Rightarrow$ time taken to fill tank completely = 10 hours | 1 |
| c)  | At 5 am,  | 2 |

Let the tank be completely filled in 't' hours  
 ⇒ pipe A is opened for 't' hours  
 pipe B is opened for 't-3' hours  
 And, pipe C is opened for 't-4' hours

⇒ In one hour,  
 part of tank filled by pipe A =  $\frac{t}{15}$  th  
 part of tank filled by pipe B =  $\frac{t-3}{15}$  th  
 and, part of tank emptied by pipe C =  $\frac{t-4}{15}$  th

Therefore  $\frac{t}{15} + \frac{t-3}{12} - \frac{t-4}{20} = 1$   
 ⇒  $t = 10.5$   
 Total time to fill the tank = 10 hours 30 minutes

**OR**  
 6 am, pipe C is opened to empty ½ filled tank  
 Time to empty = 10 hours  
 Time for cleaning = 1 hour  
 Part of tank filled by pipes A and B in 1 hour =  $\frac{1}{15} + \frac{1}{12} = \frac{3}{20}$  th tank  
 ⇒ time taken to fill the tank completely =  $\frac{20}{3}$  hours  
 Total time taken in the process =  $10 + 1 + \frac{20}{3} = 17$  hour 40 minutes

37. CASE STUDY - II

a)

| Year | Y   | X  | X <sup>2</sup> | XY  |
|------|-----|----|----------------|-----|
| 2015 | 35  | -2 | 4              | -70 |
| 2016 | 42  | -1 | 1              | -42 |
| 2017 | 46  | 0  | 0              | 0   |
| 2018 | 41  | 1  | 1              | 41  |
| 2019 | 48  | 2  | 4              | 96  |
|      | 212 |    | 10             | 25  |


$a = \frac{\sum Y}{n} = \frac{212}{5} = 42.4$  and  $b = \frac{\sum XY}{\sum X^2} = \frac{25}{10} = 2.5$

$Y_c = 42.4 + 2.5X$

**OR**

| Year | Y  | 3-year moving average |
|------|----|-----------------------|
| 2015 | 35 | -                     |
| 2016 | 42 | 41                    |
| 2017 | 46 | 43                    |
| 2018 | 41 | 45                    |
| 2019 | 48 | -                     |

2



b) For year 2022,  

$$Y_{2022} = 42.4 + 2.5(2022 - 2017) = 54.9$$
 $\Rightarrow$  the estimated sales for year 2022 = ₹ 54,900

c)  

$$Y_C = 42.4 + 2.5X$$

$$\Rightarrow 67.4 = 42.4 + 2.5X$$

$$\Rightarrow X = 10$$
 Sales will be ₹ 67,400 in year (2017+ 10) = year 2027

38. CASE STUDY - III

a)  

$$\frac{k}{6} + \frac{2k}{6} + \frac{3(1-k)}{6} + \frac{4k}{2} = 1 \Rightarrow k = \frac{1}{4}$$

b) P (getting admission on applying at least 2 weeks ahead of application deadline)  
 $= P(X = 2, 3, 4)$   
 $= \frac{1}{12} + \frac{3}{8} + \frac{1}{2} = \frac{23}{24}$   
 [alternate method:  $1 - P(X = 1) = 1 - \frac{1}{24} = \frac{23}{24}$ ]

c) X = week applied ahead of application deadline

|       |                |                |               |               |
|-------|----------------|----------------|---------------|---------------|
| X     | 1              | 2              | 3             | 4             |
| P(X)  | $\frac{1}{24}$ | $\frac{1}{12}$ | $\frac{3}{8}$ | $\frac{1}{2}$ |
| XP(X) | $\frac{1}{24}$ | $\frac{1}{6}$  | $\frac{9}{8}$ | 2             |

$\therefore E(X) = \frac{80}{24} = 3\frac{1}{3}$  weeks

**OR**

X = Scholarship money awarded for the week applied in, before the deadline

|                 |      |       |       |       |
|-----------------|------|-------|-------|-------|
| Week applied in | 1    | 2     | 3     | 4     |
| X               | 9600 | 12000 | 20000 | 50000 |

|                              |                   |                    |                   |                   |
|------------------------------|-------------------|--------------------|-------------------|-------------------|
| P(X)                         | $\frac{1}{24}$    | $\frac{1}{12}$     | $\frac{3}{8}$     | $\frac{1}{2}$     |
| XP(X)                        | $\frac{9600}{24}$ | $\frac{12000}{12}$ | $\frac{60000}{8}$ | $\frac{50000}{2}$ |
| $\therefore E(X) = ₹ 33,900$ |                   |                    |                   |                   |

-----